Lower Mississippi CONUS	Timeframe Waiver Location of incident response activity / timeframe		Resource provider status / response activity timeframe				
SMFF PROVIDER COMPANY & CONTRACTED RESOURCES Updated semiannually SALVAGE	Time (Years) OR Waiver End Date	Pier (hours)	CONUS: nearshore area; inland waters; Great Lakes (hours)	CONUS: offshore area (hours)	PIER	NEARSHORE	OFFSHORE
Assessment & Survey:	MAX REGULATORY REQUIREMENT		COMPANY AND CONTRACTED CAPABILITY				
1. Remote assessment and consultation	N/A		1	1		R1, S3	
2. Begin assessment of structural stability	1		3	3		R1, S3	
3. On-site salvage assessment	1		6	12		R1, S3	
4. Assessment of structural stability	1		12	18		R1, S3	
5. Hull and bottom survey	2		12	18		R1, S3	
Stabilization:			REGULATORY REQUI	REMENT	COMPANY AND CONTRACTED CAPABILITY		CAPABILITY
6. Emergency towing (See towing vessel table)	NOTE		12	18		see towing vessel table	
7. Salvage plan	3		16	22		R1, S3	
8. External emergency transfer operations	3 N/A		18 18	24 24		R1, S3	
9. Emergency lightering 10. Other refloating methods	N/A 3		18	24		R1, S3 R1, S3	
11. Making temporary repairs	3		18	24		R1, S3	
12. Diving services support	3		18	24		R1, S3	
Specialized Salvage Operations:			REGULATORY REQUI		СОМЕ	PANY AND CONTRACTED	CAPABILITY
13. Special salvage operations plan	5		18	24		R1, S3	
14. Subsurface product removal	5		72	84		R1, S3	
15. Heavy lift/1/ (See description 1.)	N/A		Estimate 1	Estimate 2		R1 (24-72 hrs)	
MARINE FIREFIGHTING							
Assessment & Planning:			REGULATORY REQUI	REMENT	COMPANY AND CONTRACTED CAPABILITY		CAPABILITY
16. Remote assessment and consultation	N/A	1	1	1	R1, S3	R1, S3	
17. On-site fire assessment	1	2	6	12	R1, S1, S3	R1, S1, S3	
Fire Suppression:			REGULATORY REQUI			PANY AND CONTRACTED	CAPABILITY
18. External firefighting teams	4	4	8	12	R1, S1, S3	R1, S1, S3	
19. External vessel firefighting systems/1/ Heavy lift services are not required to have definite hours for a re	sponse time. The	4 ne planholde	12	18	R1, S1, S3	R1, S1, S3	ft
response and an estimated response time when these services are require	•	•		•	•		
SMFF PROVIDER	Lower Mississippi - 33 CFR 155.4030(f) SMFF PROVIDER - TRANSFER EQUIPMENT			Lower Mississippi KEY			
155.4030(a) required, Lower Mississippi						CONUS	
T&T Salvage, LLC	Largest tank -this		*246,960 COI Grade A and lower	gallons	CONTRACTED-AVAILABLE		W ADI E
24 Hour Emergency Response 713-534-0700 www.ttsalvage.com	Heaviest Oil	,				CONTRACTED-AVA	
	Reduired pumpin.	g capacity		g/p/h	R1	Primary Resource Pr	
		g capacity R1	*10,920	g/p/h		Primary Resource Pr Subcontractor - Priva	ovider
				g/p/h			ovider ate
				g/p/h		Subcontractor - Priva Consent - Public Res COVERED & EXPLA	rovider ate sources AINED
Lower Mississippi - 33 CFR 155.4030(g)	Sources:	R1	*10,920			Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description F	rovider ate sources AINED Provided
Lower Mississippi - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT	Sources:	R1 ower Missis	*10,920 ssippi 33 CFR 155.4	1030(g)		Subcontractor - Priva Consent - Public Res COVERED & EXPLA	rovider ate sources AINED Provided
	Sources: Lo SMFF	ower Missis	*10,920	1030(g) E PUMPS		Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description F	rovider ate sources AINED Provided
SMFF PROVIDER - EXTINGUISHING AGENT	Sources: Lo SMFF	ewer Missis PROVIDE Jesbit Cove, N	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIR	1030(g) E PUMPS 1500 GPM		Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description F Waiver Information F	rovider ate sources AINED Provided
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE	Lo SMFF 816 No Largest deck -this Lgst calculated qt	pwer Missis PROVIDE Jesbit Cove, N	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144	4030(g) E PUMPS 1500 GPM sq ft gallons	DATE	Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description F Waiver Information F APC Information Pro NOT COVERED GAP - Corrected soc	rovider sate sources AINED Provided Provided vided
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate*	Lo SMFF 816 No Largest deck -this Lgst calculated qt Required pumping	pwer Missis F PROVIDE Jesbit Cove, N S zone ty/20 min	*10,920 ssippi 33 CFR 155.4 :R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200	4030(g) E PUMPS 1500 GPM sq ft gallons	DATE	Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description F Waiver Information F APC Information Pro NOT COVERED GAP - Corrected soc GAP	rovider ate sources AINED Provided Provided vided
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1 Lower Mississippi - 33 CFR 155.4030(a)	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session Company (No. 1) Provided the session of the sessio	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144 *15,552	1030(g) E PUMPS 1500 GPM sq ft gallons g/p/h	DATE	Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description F Waiver Information F APC Information Pro NOT COVERED GAP - Corrected soc	rovider sate sources AINED Provided Provided vided R 155.4030(h)
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session Company (No. 1) Provided the session of the sessio	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144	4030(g) E PUMPS 1500 GPM sq ft gallons g/p/h	DATE Lower SMFF PRO Resouces to ren 40 to 150 feet d	Subcontractor - Private Consent - Public Resider - Subsurful - Subsurful - Subsurful - Subsurful - Pumps - Pump	rovider ate sources AINED Provided Provided vided R 155.4030(h) ACE EXTERNAL
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1 Lower Mississippi - 33 CFR 155.4030(a)	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session Company (No. 1) Provided the session of the sessio	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144 *15,552	4030(g) E PUMPS 1500 GPM sq ft gallons g/p/h HORSEPOWER	DATE Lower SMFF PRO Resouces to ren 40 to 150 feet d Sources:	Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description F Waiver Information Pro APC Information Pro NOT COVERED GAP - Corrected soc GAP Mississippi - 33 CF OVIDER - SUBSURF PUMPS Tove cargo and fuel in viete are available in this R1	rovider ate sources AINED Provided Provided vided R 155.4030(h) ACE EXTERNAL
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1 Lower Mississippi - 33 CFR 155.4030(a	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session Company (No. 1) Provided the session of the sessio	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144 *15,552	4030(g) E PUMPS 1500 GPM sq ft gallons g/p/h HORSEPOWER	DATE Lower SMFF PRO Resouces to rem 40 to 150 feet d Sources: ATTACH DESCRI	Subcontractor - Private Consent - Public Res COVERED & EXPLA Further Description F Waiver Information Pro APC Information Pro NOT COVERED GAP - Corrected soc GAP Mississippi - 33 CF OVIDER - SUBSURF PUMPS Tove cargo and fuel in vieep are available in this R1 PTION 1	rovider rate sources AINED Provided Pro
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1 Lower Mississippi - 33 CFR 155.4030(a)	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session Company (No. 1) Provided the session of the sessio	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144 *15,552	4030(g) E PUMPS 1500 GPM sq ft gallons g/p/h HORSEPOWER	DATE Lower SMFF PRO Resouces to rem 40 to 150 feet d Sources: ATTACH DESCRI	Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description F Waiver Information Pro APC Information Pro NOT COVERED GAP - Corrected soc GAP Mississippi - 33 CF OVIDER - SUBSURF PUMPS Tove cargo and fuel in viete are available in this R1	rovider rate sources AINED Provided Pro
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1 Lower Mississippi - 33 CFR 155.4030(a)	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session Company (No. 1) Provided the session of the sessio	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144 *15,552	4030(g) E PUMPS 1500 GPM sq ft gallons g/p/h HORSEPOWER	DATE Lower SMFF PRO Resouces to ren 40 to 150 feet d Sources: ATTACH DESCRI 1. Description	Subcontractor - Private Consent - Public Res COVERED & EXPLA Further Description F Waiver Information Pro APC Information Pro NOT COVERED GAP - Corrected soc GAP Mississippi - 33 CF OVIDER - SUBSURF PUMPS Tove cargo and fuel in vieep are available in this R1 PTION 1	rovider rate sources AINED Provided Provided Vided R 155.4030(h) ACE EXTERNAL vaters s zone:
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1 Lower Mississippi - 33 CFR 155.4030(a	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session Company (No. 1) Provided the session of the sessio	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144 *15,552	4030(g) E PUMPS 1500 GPM sq ft gallons g/p/h HORSEPOWER	DATE Lower SMFF PRO Resouces to rem 40 to 150 feet d Sources: ATTACH DESCRI 1. Description Portable a dispatched t	Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description F Waiver Information F APC Information Pro NOT COVERED GAP - Corrected soc GAP Mississippi - 33 CF OVIDER - SUBSURF PUMPS Tove cargo and fuel in viete are available in this R1 PTION 1 of Heavy Lift capability of this COTP zone arriving the common content of the country	rovider rate sources AINED Provided Provided vided on R 155.4030(h) ACE EXTERNAL vaters s zone: ty for this zone: ft assets could be ng at the following
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1 Lower Mississippi - 33 CFR 155.4030(a	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session Company (No. 1) Provided the session of the sessio	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144 *15,552	4030(g) E PUMPS 1500 GPM sq ft gallons g/p/h HORSEPOWER	DATE Lower SMFF PRO Resouces to rem 40 to 150 feet d Sources: ATTACH DESCRI 1. Description Portable a dispatched t	Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description F Waiver Information F APC Information Pro NOT COVERED GAP - Corrected soc GAP Mississippi - 33 CF OVIDER - SUBSURF PUMPS nove cargo and fuel in veep are available in this R1 PTION 1 of Heavy Lift capabilicand/or floating heavy lift	rovider rate sources AINED Provided Provided vided on R 155.4030(h) ACE EXTERNAL vaters s zone: ty for this zone: ft assets could be ng at the following
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1 Lower Mississippi - 33 CFR 155.4030(a	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session Company (No. 1) Provided the session of the sessio	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144 *15,552	4030(g) E PUMPS 1500 GPM sq ft gallons g/p/h HORSEPOWER	DATE Lower SMFF PRO Resouces to rem 40 to 150 feet d Sources: ATTACH DESCRI 1. Description Portable a dispatched t	Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description F Waiver Information F APC Information Pro NOT COVERED GAP - Corrected soc GAP Mississippi - 33 CF OVIDER - SUBSURF PUMPS Tove cargo and fuel in viete are available in this R1 PTION 1 of Heavy Lift capability of this COTP zone arriving the common content of the country	rovider rate sources AINED Provided Provided vided on R 155.4030(h) ACE EXTERNAL vaters s zone: ty for this zone: ft assets could be ng at the following
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1 Lower Mississippi - 33 CFR 155.4030(a	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session of the session of th	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144 *15,552	4030(g) E PUMPS 1500 GPM sq ft gallons g/p/h HORSEPOWER	DATE Lower SMFF PRO Resouces to rem 40 to 150 feet d Sources: ATTACH DESCRI 1. Description Portable a dispatched t estimated ti	Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description F Waiver Information F APC Information Pro NOT COVERED GAP - Corrected soc GAP Mississippi - 33 CF OVIDER - SUBSURF PUMPS Tove cargo and fuel in viet are available in this R1 IPTION 1 of Heavy Lift capability of this COTP zone arrivitimeframes: AIR / LAN immeframes: AIR / LAN	rovider rate sources AINED Provided Provided On R 155.4030(h) ACE EXTERNAL vaters s zone: ty for this zone: ft assets could be ang at the following and the following are and the following and the following and the following and the following are are and the following are and the following are and the following are and the following are are and the following are and the following are are and the following
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1 Lower Mississippi - 33 CFR 155.4030(a	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session of the session of th	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144 *15,552	4030(g) E PUMPS 1500 GPM sq ft gallons g/p/h HORSEPOWER	DATE Lower SMFF PRO Resouces to rem 40 to 150 feet d Sources: ATTACH DESCRI 1. Description Portable a dispatched t estimated ti	Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description F Waiver Information F APC Information Pro NOT COVERED GAP - Corrected soc GAP Mississippi - 33 CF OVIDER - SUBSURF PUMPS Tove cargo and fuel in viete are available in this R1 PTION 1 of Heavy Lift capability of this COTP zone arriving the common content of the country	rovider rate sources AINED Provided Provided On R 155.4030(h) ACE EXTERNAL vaters s zone: ty for this zone: ft assets could be ang at the following ID / SEA 24-72 HRS
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1 Lower Mississippi - 33 CFR 155.4030(a)	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session of the session of th	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144 *15,552	4030(g) E PUMPS 1500 GPM sq ft gallons g/p/h HORSEPOWER	DATE Lower SMFF PRO Resouces to rem 40 to 150 feet d Sources: ATTACH DESCRI 1. Description Portable a dispatched t estimated ti	Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description F Waiver Information F APC Information Pro NOT COVERED GAP - Corrected soc GAP Mississippi - 33 CF OVIDER - SUBSURF PUMPS Tove cargo and fuel in viet are available in this R1 IPTION 1 of Heavy Lift capability of this COTP zone arrivitimeframes: AIR / LAN immeframes: AIR / LAN	rovider rate sources AINED Provided Provided On R 155.4030(h) ACE EXTERNAL vaters s zone: ty for this zone: ft assets could be ang at the following and the following are and the following and the following and the following and the following are are and the following are and
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1 Lower Mississippi - 33 CFR 155.4030(a)	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session of the session of th	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144 *15,552	HO30(g) E PUMPS 1500 GPM sq ft gallons g/p/h HORSEPOWER	DATE Lower SMFF PRO Resouces to ren 40 to 150 feet d Sources: ATTACH DESCRI 1. Description Portable a dispatched t estimated ti	Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description F Waiver Information F APC Information Pro NOT COVERED GAP - Corrected soc GAP Mississippi - 33 CF OVIDER - SUBSURF PUMPS Tove cargo and fuel in viet are available in this R1 IPTION 1 of Heavy Lift capability of this COTP zone arrivitimeframes: AIR / LAN immeframes: AIR / LAN	rovider rate sources AINED Provided Pro
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1 Lower Mississippi - 33 CFR 155.4030(a)	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session of the session of th	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144 *15,552	HO30(g) E PUMPS 1500 GPM sq ft gallons g/p/h HORSEPOWER	DATE Lower SMFF PRO Resouces to ren 40 to 150 feet d Sources: ATTACH DESCRI 1. Description Portable a dispatched t estimated ti	Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description F Waiver Information F APC Information Pro NOT COVERED GAP - Corrected soc GAP Mississippi - 33 CF OVIDER - SUBSURF PUMPS nove cargo and fuel in veep are available in this R1 PTION 1 of Heavy Lift capability of Heavy Lift capability of this COTP zone arriving imeframes: AIR / LAN orary Waiver from T	rovider rate sources AINED Provided Pro
SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 156 gallons / 3% foam concentrate* Sources: R1, S1 Lower Mississippi - 33 CFR 155.4030(a	Lorgest deck -this Lgst calculated qto Required pumping Sources:	PROVIDE Session of the session of th	*10,920 ssippi 33 CFR 155.4 R - EXTERNAL FIRI esbit, MS. 38651 (1) Hale *19,200 *6,144 *15,552	HO30(g) E PUMPS 1500 GPM sq ft gallons g/p/h HORSEPOWER	DATE Lower SMFF PRO Resouces to ren 40 to 150 feet d Sources: ATTACH DESCRI 1. Description Portable a dispatched t estimated ti	Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description F Waiver Information F APC Information Pro NOT COVERED GAP - Corrected soc GAP Mississippi - 33 CF OVIDER - SUBSURF PUMPS nove cargo and fuel in veep are available in this R1 PTION 1 of Heavy Lift capability of Heavy Lift capability of this COTP zone arriving imeframes: AIR / LAN orary Waiver from T	rovider rate sources AINED Provided Pro

Temporary Timeframe

Location of incident response activity /

Lower Mississippi

		SM	FF PROVIDER and Subcontracted Resour	ce Providers		1
PRIM	ARY RESOURCE PROVIDER	NAME	LOCATION	24-HR PHONE	FAX	WEBSITE URL
R1	T&T Salvage, LLC	DeeAnn Ebanks	Panama City, FL/ Houston, TX	713-534-0700		www.ttsalvage.com
R1	T&T Salvage, LLC	JoAnn Henzel	Ft Lauderdale, FL	713-534-0700		www.ttsalvage.com
R1	T&T Salvage, LLC	Mauricio Garrido	Houston, TX	713-534-0700		www.ttsalvage.com
R1	T&T Salvage, LLC	Jim Elliott	Houston, TX	713-534-0700	713-534-0700	
R1	T&T Salvage, LLC	Mike Popa	Detroit, MI	713-534-0700	713-534-0700	
R1	T&T Salvage, LLC	Eli Todich	Houston, TX	713-534-0700		www.ttsalvage.com
	Subcontractors					
S1	Resolve Salvage & Fire (Americas) Inc	Bryan Alonso	Fort Lauderdale, FL	954-764-8700	954-764-8724	www.resolvemarine.com
S3	T&T Marine Salvage, Inc.		Galveston, TX	409-744-1222		www.tandtmarine.com
OTHE	 R CONTRACTED PROVIDERS	NAME	LOCATION	24-HR PHONE	FAX	WEBSITE URL
01						
	Public Resources	NAME	LOCATION	24-HR PHONE	COTP ZONE	JURISDICTION LIMITS
P1						
P2						

19. External vessel firefighting systems

DESCRIPTION: Resource provider status / response activity timeframe

Use this notation to describe estimated response time when it is longer than required, or outside required area

N/A Time Estimate Response Description

LIST OF ATTACHMENTS Description of CoverageN/A

Lower Mississippi SMFF PROVIDER & CONTRACTED RESOURCES CITY	Description		PIER RESPONSE Firefighters able to respond in 4 hours OR WAIVER	Public Firefighter Jurisdiction Limits
Augusta, AR		R1, S1	R1, S1	
Blytheville, AR		R1, S1	R1, S1	
Hayti, MO		R1, S1	R1, S1	
Helena, AR		R1, S1	R1, S1	
Little Rock, AR		R1, S1	R1, S1	
Memphis, TN		R1, S1	R1, S1	
Pine Bluff, AR		R1, S1	R1, S1	