SMFF PROVIDER COMPANY & CONTRACTED RESOURCES Updated semiannually	Time (Years) OR Waiver End Date	Pier (hours)	CONUS: nearshore area; inland waters; Great Lakes	CONUS: offshore area (hours)		NEARSHORE	OFFSHORE
SALVAGE	Date		(hours)		PIER	VEA	) PFF
Assessment & Survey:	MAX		REGULATORY REQU	REMENT	COMPANY AND CONTRACTED CAPABILITY		
1. Remote assessment and consultation	N/A		1	1		R1, S3	R1, S3
2. Begin assessment of structural stability	1		3	3		R1, S3	R1, S3
3. On-site salvage assessment	1		6	12		R1, S3	R1, S3
4. Assessment of structural stability	1		12	18		R1, S3	R1, S3
5. Hull and bottom survey	2		12	18		R1, S3	R1, S3
Stabilization:			REGULATORY REQU	REMENT	COMPANY AND CONTRACTED CAPABILITY		CAPABILITY
6. Emergency towing (See towing vessel table)	NOTE		12	18		see towing vessel table	see towing vessel table
7. Salvage plan	3		16	22		R1, S3	R1, S3
8. External emergency transfer operations	3		18	24		R1, S3	R1, S3
9. Emergency lightering	N/A		18	24		R1, S3	R1, S3
10. Other refloating methods	3		18	24		R1, S3	R1, S3
11. Making temporary repairs	3		18 18	24 24		R1, S3	R1, S3
12. Diving services support  Specialized Salvage Operations:	3		REGULATORY REQUI		 COMI	R1, S3 PANY AND CONTRACTED	R1, S3
	5		18	24			
13. Special salvage operations plan 14. Subsurface product removal	5		18 72	84		R1, S3 R1, S3	R1, S3 R1, S3
15. Heavy lift/1/ (See description 1.)	N/A		Estimate 1	Estimate 2			R1 (48hrs- 30days)
MARINE FIREFIGHTING						or (veine coally)	the (terms commy)
Assessment & Planning:			REGULATORY REQUI	REMENT	COMPANY AND CONTRACTED CAPABILITY		CAPABILITY
16. Remote assessment and consultation	N/A	1	1	1	R1, S3	R1, S3	R1, S3
17. On-site fire assessment	1	2	6	12	R1, S1, S3	R1, S1, S3	R1, S1, S3
Fire Suppression:			REGULATORY REQU	REMENT	COMPANY AND CONTRACTED CAPABILITY		CAPABILITY
18. External firefighting teams	4	4	8	12	R1, S1, S3	R1, S1, S3	R1, S1, S3
19. External vessel firefighting systems	4	4	12	18	R1, S1, S3	R1, S1, S3	R1, S1, S3
/1/ Heavy lift services are not required to have definite hours for a reresponse and an estimated response time when these services are required.							π
SMFF PROVIDER  155.4030(a) required, Puget Sound	Puget Sound - 33 CFR 155.4030(f) SMFF PROVIDER - TRANSFER EQUIPMENT 401 Alexander Ave, Tacoma WA 98421 / MSP-300 Alum / 1455 GPM			Puget Sound KEY			
T&T Salvage, LLC		ier Ave, Taco.	ma WA 98421 / MSP-300	1100 01 111	CONUS		
	Largest tank -this		ma WA 98421 / MSP-300 / *3,634,092			CONUS	
24 Hour Emergency Response 713-534-0700	Largest tank -this Heaviest Oil	zone	*3,634,092 crude	gallons		CONUS CONTRACTED-AVA	
	Largest tank -this Heaviest Oil Required pumpin	zone ng capacity	*3,634,092	gallons	R1	CONUS CONTRACTED-AVA Primary Resource Pr	ovider
24 Hour Emergency Response 713-534-0700	Largest tank -this Heaviest Oil Required pumpin	zone	*3,634,092 crude	gallons	R1	CONUS CONTRACTED-AVA Primary Resource Pr Subcontractor - Priva	ovider ite
24 Hour Emergency Response 713-534-0700	Largest tank -this Heaviest Oil Required pumpin	zone ng capacity	*3,634,092 crude	gallons	R1	CONUS  CONTRACTED-AVA  Primary Resource Private  Subcontractor - Private  Consent - Public Res	ovider ite ources
24 Hour Emergency Response 713-534-0700  www.tandtgroup.com	Largest tank -this Heaviest Oil Required pumpin Sources:	zone ng capacity	*3,634,092 crude *151,440	gallons g/p/h	R1	CONUS  CONTRACTED-AVA  Primary Resource Pr  Subcontractor - Priva  Consent - Public Res  COVERED & EXPLA	ovider ate ources AINED
24 Hour Emergency Response 713-534-0700	Largest tank -this Heaviest Oil Required pumpin Sources:	zone g capacity R1 Puget Sou	*3,634,092 crude	gallons g/p/h  60(g)	R1	CONUS  CONTRACTED-AVA  Primary Resource Private  Subcontractor - Private  Consent - Public Res	ovider Inte Inte Intervioled
24 Hour Emergency Response 713-534-0700  www.tandtgroup.com  Puget Sound - 33 CFR 155.4030(g)	Largest tank -this Heaviest Oil Required pumpin Sources:	rg capacity R1  Puget Sou	*3,634,092 crude *151,440 und 33 CFR 155.403	gallons g/p/h  60(g) E PUMPS	R1	CONUS  CONTRACTED-AVA  Primary Resource Private Subcontractor - Private Consent - Public Resource COVERED & EXPLA  Further Description F	ovider ate cources AINED Provided
24 Hour Emergency Response 713-534-0700  www.tandtgroup.com  Puget Sound - 33 CFR 155.4030(g)  SMFF PROVIDER - EXTINGUISHING AGENT	Largest tank -this Heaviest Oil Required pumpin Sources:	R1 Puget Sou	*3,634,092 crude *151,440 und 33 CFR 155.403	gallons g/p/h  B0(g) E PUMPS er 5500 GPM	R1	CONUS  CONTRACTED-AVA  Primary Resource Pr  Subcontractor - Priva  Consent - Public Res  COVERED & EXPLA  Further Description P  Waiver Information P	ovider ate cources AINED Provided
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt	Puget Sou F PROVIDE F St, Tacoma	*3,634,092 crude *151,440 und 33 CFR 155.403 ER - EXTERNAL FIR a, WA 98421 / RMG Badge *135,888 *43,480	gallons g/p/h  60(g) E PUMPS er 5500 GPM sq ft gallons	R1 DATE	CONUS  CONTRACTED-AVA  Primary Resource Pr  Subcontractor - Priva  Consent - Public Res  COVERED & EXPLA  Further Description Province Information Informati	ovider ite cources AINED Provided Provided vided
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin	Puget Sou F PROVIDE F St, Tacoma s zone ty/20 min	*3,634,092 crude *151,440 und 33 CFR 155.403 ER - EXTERNAL FIR a, WA 98421 / RMG Badge *135,888	gallons g/p/h  60(g) E PUMPS er 5500 GPM sq ft gallons	DATE	CONUS  CONTRACTED-AVA  Primary Resource Pr  Subcontractor - Priva  Consent - Public Res  COVERED & EXPLA  Further Description F  Waiver Information Pro  NOT COVERED	ovider ate cources AINED Provided Provided vided
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1  Puget Sound - 33 CFR 155.4030(e)	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 and 33 CFR 155.403 ER - EXTERNAL FIR A, WA 98421 / RMG Badge *135,888 *43,480 *130,440	gallons g/p/h  BO(g) E PUMPS er 5500 GPM  sq ft gallons g/p/h	DATE - ug	CONUS  CONTRACTED-AVA  Primary Resource Pr Subcontractor - Priva Consent - Public Res COVERED & EXPLA  Further Description F Waiver Information Pro NOT COVERED  GAP - Corrected soo GAP	ovider ate cources AINED Provided Provided vided
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate* 1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 und 33 CFR 155.403 ER - EXTERNAL FIR a, WA 98421 / RMG Badge *135,888 *43,480	gallons g/p/h  60(g) E PUMPS er 5500 GPM sq ft gallons g/p/h	DATE SMFF PROPERTY OF THE PROP	CONUS  CONTRACTED-AVA  Primary Resource Pr  Subcontractor - Priva  Consent - Public Res  COVERED & EXPLA  Further Description F  Waiver Information Pro  NOT COVERED  GAP - Corrected soo  GAP  COVIDER - SUBSURF  PUMPS  The pump of the public Res  The pump of	ovider inte cources AINED Provided Provided vided  ACE EXTERNAL
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1  Puget Sound - 33 CFR 155.4030(e)	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 and 33 CFR 155.403 ER - EXTERNAL FIR A, WA 98421 / RMG Badge *135,888 *43,480 *130,440	gallons g/p/h  BO(g) E PUMPS er 5500 GPM sq ft gallons g/p/h  HORSEPOWER	DATE SMFF PR Resouces to rer 40 to 150 feet of Sources:	CONUS  CONTRACTED-AVA Primary Resource Pr Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description Pro Waiver Information Pro NOT COVERED GAP - Corrected soo GAP OVIDER - SUBSURFA PUMPS  nove cargo and fuel in water properties of the public R1	ovider inte cources AINED Provided Provided vided  ACE EXTERNAL
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1  Puget Sound - 33 CFR 155.4030(e)	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 and 33 CFR 155.403 ER - EXTERNAL FIR A, WA 98421 / RMG Badge *135,888 *43,480 *130,440	gallons g/p/h  BO(g) E PUMPS er 5500 GPM sq ft gallons g/p/h  HORSEPOWER	DATE SMFF PR Resouces to rer 40 to 150 feet of Sources: ATTACH DESCR	CONUS  CONTRACTED-AVA  Primary Resource Pr Subcontractor - Priva Consent - Public Res COVERED & EXPLA  Further Description F Waiver Information Pro NOT COVERED  GAP - Corrected soc GAP  OVIDER - SUBSURF PUMPS  nove cargo and fuel in water available in this R1  IPTION 1	ovider ate cources AINED Provided Provided vided  ACE EXTERNAL
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1  Puget Sound - 33 CFR 155.4030(e)	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 and 33 CFR 155.403 ER - EXTERNAL FIR A, WA 98421 / RMG Badge *135,888 *43,480 *130,440	gallons g/p/h  BO(g) E PUMPS er 5500 GPM sq ft gallons g/p/h  HORSEPOWER	DATE SMFF PR Resouces to rer 40 to 150 feet of Sources: ATTACH DESCR 1. Description	CONUS  CONTRACTED-AVA  Primary Resource Pr Subcontractor - Priva Consent - Public Res COVERED & EXPLA  Further Description F Waiver Information Pro NOT COVERED  GAP - Corrected soc GAP  OVIDER - SUBSURFA PUMPS  nove cargo and fuel in waive are available in this R1  IPTION 1  of Heavy Lift capability	ovider ate cources AINED Provided Provided vided ACE EXTERNAL vaters s zone:
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1  Puget Sound - 33 CFR 155.4030(e)	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 and 33 CFR 155.403 ER - EXTERNAL FIR A, WA 98421 / RMG Badge *135,888 *43,480 *130,440	gallons g/p/h  BO(g) E PUMPS er 5500 GPM sq ft gallons g/p/h  HORSEPOWER	DATE SMFF PR  Resouces to rer 40 to 150 feet of Sources: ATTACH DESCR 1. Description  Portable a	CONUS  CONTRACTED-AVA  Primary Resource Pr Subcontractor - Priva Consent - Public Res COVERED & EXPLA  Further Description F Waiver Information Pro NOT COVERED  GAP - Corrected soc GAP  OVIDER - SUBSURF PUMPS  nove cargo and fuel in water available in this R1  IPTION 1	ovider inte cources AINED Provided Provided vided ACE EXTERNAL  vaters s zone:  ty for this zone:
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1  Puget Sound - 33 CFR 155.4030(e)	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 and 33 CFR 155.403 ER - EXTERNAL FIR A, WA 98421 / RMG Badge *135,888 *43,480 *130,440	gallons g/p/h  BO(g) E PUMPS er 5500 GPM sq ft gallons g/p/h  HORSEPOWER	DATE  SMFF PR  Resouces to rer 40 to 150 feet of Sources:  ATTACH DESCR  1. Description  Portable a dispatched	CONUS  CONTRACTED-AVA Primary Resource Pr Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description F Waiver Information Pro APC Information Pro NOT COVERED  GAP - Corrected soc GAP COVIDER - SUBSURFA PUMPS  Nove cargo and fuel in walleep are available in this R1  IPTION 1  of Heavy Lift capability and/or floating heavy lift and/or floating heavy lift or Private Priv	ovider  inte fources  AINED  Provided Provided vided  ACE EXTERNAL  ACE EXTERNAL  Attributes  interpretation of the provided o
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1  Puget Sound - 33 CFR 155.4030(e)	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 and 33 CFR 155.403 ER - EXTERNAL FIR A, WA 98421 / RMG Badge *135,888 *43,480 *130,440	gallons g/p/h  BO(g) E PUMPS er 5500 GPM sq ft gallons g/p/h  HORSEPOWER	DATE  SMFF PR  Resouces to rer 40 to 150 feet of Sources:  ATTACH DESCR  1. Description  Portable a dispatched estimated ti	CONUS  CONTRACTED-AVA  Primary Resource Pr Subcontractor - Priva Consent - Public Res COVERED & EXPLA  Further Description Pro Waiver Information Pro APC Information Pro NOT COVERED  GAP - Corrected soo GAP  OVIDER - SUBSURF PUMPS  POWIDER - SUBSURF PUMPS  The pump of t	ovider  ources  AINED  Provided  rovided  vided  ACE EXTERNAL  ty for this zone:  ft assets could be  ng at the following  /TRUCK-72 HRS- US
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1  Puget Sound - 33 CFR 155.4030(e)	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 and 33 CFR 155.403 ER - EXTERNAL FIR A, WA 98421 / RMG Badge *135,888 *43,480 *130,440	gallons g/p/h  BO(g) E PUMPS er 5500 GPM sq ft gallons g/p/h  HORSEPOWER	DATE  SMFF PR  Resouces to rer 40 to 150 feet of Sources:  ATTACH DESCR  1. Description  Portable a dispatched estimated ti	CONUS  CONTRACTED-AVA Primary Resource Pr Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description F Waiver Information Pro NOT COVERED GAP - Corrected soo GAP COVIDER - SUBSURF PUMPS  The pump of Heavy Lift capability and/or floating heavy lift to the COTP sone arrivis meframes: AIR-48 HRS	ovider  ources  AINED  Provided  rovided  vided  ACE EXTERNAL  ty for this zone:  ft assets could be  ng at the following  /TRUCK-72 HRS- US
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1  Puget Sound - 33 CFR 155.4030(e)	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 and 33 CFR 155.403 ER - EXTERNAL FIR A, WA 98421 / RMG Badge *135,888 *43,480 *130,440	gallons g/p/h  60(g) E PUMPS er 5500 GPM sq ft gallons g/p/h  HORSEPOWER	DATE  SMFF PR  Resouces to rer 40 to 150 feet of Sources: ATTACH DESCR  1. Description  Portable a dispatched estimated ti WC/SE	CONUS  CONTRACTED-AVA  Primary Resource Pr Subcontractor - Priva Consent - Public Res COVERED & EXPLA  Further Description F Waiver Information Pro NOT COVERED  GAP - Corrected soc GAP  OVIDER - SUBSURF PUMPS  nove cargo and fuel in white R1  IPTION 1  of Heavy Lift capability and/or floating heavy lift to the COTP sone arriving meframes: AIR-48 HRS, EA-7 DAYS-WC/SEA-30 II  ONE CONTRACTOR OF THE PROPERTY OF THE	ovider ite fources AINED Provided Provided Vided ACE EXTERNAL  ACE EXTERNAL  Type of this zone:  Ity for this zone:  Ity for the following TRUCK-72 HRS- US DAYS-US GULF
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1  Puget Sound - 33 CFR 155.4030(e)	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 and 33 CFR 155.403 ER - EXTERNAL FIR A, WA 98421 / RMG Badge *135,888 *43,480 *130,440	gallons g/p/h  60(g) E PUMPS er 5500 GPM sq ft gallons g/p/h  HORSEPOWER	DATE  SMFF PR  Resouces to rer 40 to 150 feet of Sources: ATTACH DESCR  1. Description  Portable a dispatched estimated ti WC/SE	CONUS  CONTRACTED-AVA Primary Resource Pr Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description F Waiver Information Pro NOT COVERED GAP - Corrected soo GAP COVIDER - SUBSURF PUMPS  The pump of Heavy Lift capability and/or floating heavy lift to the COTP sone arrivis meframes: AIR-48 HRS	ovider ite fources AINED Provided Provided Vided ACE EXTERNAL  ACE EXTERNAL  Type of this zone:  Ity for this zone:  Ity for the following TRUCK-72 HRS- US DAYS-US GULF
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1  Puget Sound - 33 CFR 155.4030(e)	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 and 33 CFR 155.403 ER - EXTERNAL FIR A, WA 98421 / RMG Badge *135,888 *43,480 *130,440	gallons g/p/h  60(g) E PUMPS er 5500 GPM sq ft gallons g/p/h  HORSEPOWER	DATE  SMFF PR  Resouces to rer 40 to 150 feet of Sources: ATTACH DESCR  1. Description  Portable a dispatched estimated ti WC/SE	CONUS  CONTRACTED-AVA  Primary Resource Pr Subcontractor - Priva Consent - Public Res COVERED & EXPLA  Further Description F Waiver Information Pro NOT COVERED  GAP - Corrected soc GAP  OVIDER - SUBSURF PUMPS  nove cargo and fuel in white R1  IPTION 1  of Heavy Lift capability and/or floating heavy lift to the COTP sone arriving meframes: AIR-48 HRS, EA-7 DAYS-WC/SEA-30 II  ONE CONTRACTOR OF THE PROPERTY OF THE	ovider ite fources AINED Provided Provided Vided ACE EXTERNAL  ACE EXTERNAL  Type of this zone:  Ity for this zone:  Ity for the following TRUCK-72 HRS- US DAYS-US GULF
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1  Puget Sound - 33 CFR 155.4030(e)	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 and 33 CFR 155.403 ER - EXTERNAL FIR A, WA 98421 / RMG Badge *135,888 *43,480 *130,440	gallons g/p/h  60(g) E PUMPS er 5500 GPM sq ft gallons g/p/h  HORSEPOWER	DATE  SMFF PR  Resouces to rer 40 to 150 feet of Sources:  ATTACH DESCR  1. Description  Portable a dispatched estimated to WC/SE	CONUS  CONTRACTED-AVA  Primary Resource Pr Subcontractor - Priva Consent - Public Res COVERED & EXPLA  Further Description F Waiver Information Pro NOT COVERED  GAP - Corrected soc GAP  OVIDER - SUBSURF PUMPS  nove cargo and fuel in white R1  IPTION 1  of Heavy Lift capability and/or floating heavy lift to the COTP sone arriving meframes: AIR-48 HRS, EA-7 DAYS-WC/SEA-30 II  ONE CONTRACTOR OF THE PROPERTY OF THE	ovider ote ources AINED Provided Provided Vided Output Out
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1  Puget Sound - 33 CFR 155.4030(e)	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 and 33 CFR 155.403 ER - EXTERNAL FIR A, WA 98421 / RMG Badge *135,888 *43,480 *130,440	gallons g/p/h  60(g) E PUMPS er 5500 GPM sq ft gallons g/p/h  HORSEPOWER	DATE  SMFF PR  Resouces to rer 40 to 150 feet of Sources:  ATTACH DESCR  1. Description  Portable a dispatched estimated to WC/SE	CONUS  CONTRACTED-AVA Primary Resource Pr Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description F Waiver Information Pro APC Information Pro NOT COVERED GAP - Corrected soo GAP COVIDER - SUBSURF PUMPS  Move cargo and fuel in welleep are available in this R1 IPTION 1 of Heavy Lift capability Ind/or floating heavy lift to the COTP sone arriving Imeframes: AIR-48 HRS IA-7 DAYS-WC/SEA-30 II INTERPREDION TO THE PROPERTY OF	ovider ate cources AINED Provided Provided vided ACE EXTERNAL Vaters S zone:  ty for this zone:  ft assets could be ng at the following /TRUCK-72 HRS- US DAYS-US GULF
Puget Sound - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE  1034 gallons / 3% foam concentrate*  1100 gallons AFFF 3% - 910 South 9th Street Seattle, WA 98108  Sources: R1, S1  Puget Sound - 33 CFR 155.4030(e)	Largest tank -this Heaviest Oil Required pumpin Sources:  SMFF 1002 E  Largest deck -this Lgst calculated qt Required pumpin Sources:	Puget Sour F PROVIDE F St, Tacoma S zone ty/20 min ng capacity R1, S1	*3,634,092 crude *151,440 and 33 CFR 155.403 ER - EXTERNAL FIR A, WA 98421 / RMG Badge *135,888 *43,480 *130,440	gallons g/p/h  60(g) E PUMPS er 5500 GPM sq ft gallons g/p/h  HORSEPOWER	DATE  SMFF PR  Resouces to rer 40 to 150 feet of Sources:  ATTACH DESCR  1. Description  Portable a dispatched estimated to WC/SE	CONUS  CONTRACTED-AVA Primary Resource Pr Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description F Waiver Information Pro APC Information Pro NOT COVERED GAP - Corrected soo GAP COVIDER - SUBSURF PUMPS  Move cargo and fuel in welleep are available in this R1 IPTION 1 of Heavy Lift capability Ind/or floating heavy lift to the COTP sone arriving Imeframes: AIR-48 HRS IA-7 DAYS-WC/SEA-30 II INTERPREDION TO THE PROPERTY OF	ovider ote ources AINED Provided Provided vided  ACE EXTERNAL  vaters s zone:  ty for this zone:  ft assets could be ng at the following /TRUCK-72 HRS- US DAYS-US GULF

Puget Sound CONUS

Temporary Timeframe

Waiver

Location of incident response activity /

timeframe

Resource provider status / response activity

timeframe

SMFF PROVIDER and Subcontracted Resource Providers						
PRIM	PRIMARY RESOURCE PROVIDER NAME		LOCATION	24-HR PHONE FAX		WEBSITE URL
R1	T&T Salvage, LLC	DeeAnn Ebanks	Panama City, FL / Houston, TX	713-534-0700		www.tandtgroup.com
R1	T&T Salvage, LLC	JoAnn Henzel	Williamsburg, VA	713-534-0700		www.tandtgroup.com
R1	T&T Salvage, LLC	Mauricio Garrido	Pasadena, TX	713-534-0700		www.tandtgroup.com
R1	T&T Salvage, LLC	Jim Elliott	Pasadena, TX	713-534-0700		www.tandtgroup.com
R1	T&T Salvage, LLC	Adam Popa	Detroit, MI	713-534-0700		www.tandtgroup.com
R1	T&T Salvage, LLC	Eli Todich	Morgantown, WV / Houston, TX	713-534-0700		www.tandtgroup.com
	Subcontractors					
S1	Resolve Salvage & Fire (Americas) Inc	Bryan Alonso	Fort Lauderdale, FL	954-764-8700	954-764-8724	www.resolvemarine.com
S3	T&T Marine Salvage, Inc.		Pasadena, TX	713-534-0700		www.tandtgroup.com
OTHE	R CONTRACTED PROVIDERS	NAME	LOCATION	24-HR PHONE	FAX	WEBSITE URL
01						
	Public Resources	NAME	LOCATION	24-HR PHONE	COTP ZONE	JURISDICTION LIMITS
P1						
P2						

**DESCRIPTION:** Resource provider status / response activity timeframe

Use this notation to describe estimated response time when it is longer than required, or outside required area

N/A Time Estimate Response Description

**LIST OF ATTACHMENTS Description of Coverage**N/A

		PIER RESPONSE	PIER RESPONSE	
Puget Sound		Firefighters able	Firefighters able	
SMFF PROVIDER & CONTRACTED		to respond in 2	to respond in 4	
RESOURCES		hours OR	hours OR	
CITY	Description	WAIVER	WAIVER	Public Firefighter Jurisdiction Limits
Anacortes, WA		R1, S1	R1, S1	
Blaine, WA		R1, S1	R1, S1	
Everett, WA		R1, S1	R1, S1	
Neah Bay, WA		R1, S1	R1, S1	
Seattle, WA		R1, S1	R1, S1	
Tacoma, WA		R1, S1	R1, S1	

The information contained herein is for planning purposes only. No warranty, expressed or implied, is made regarding the accuracy, adequacy, completeness, reliability or usefulness of the information. During a drill or actual emergency, the preservation of life and the environment will always take precedence; therefore, T&T Salvage reserves the right to utilize subcontracted resources that will lead to the most expeditious and effective response.